

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 03/02/2010

Reviewed on 03/01/2010

1 Identification of substance:**Product details:****Product name:** 1-Hexylamine**Stock number:**

A15663

L07663

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Emergency Phone: (978) 521-6300

CHEMTREC: (800) 424-9300

Web Site: www.alfa.com**Information Department:** Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

1-Hexylamine (CAS# 111-26-2)

Identification number(s):**EINECS Number:** 203-851-8**3 Hazards identification****Hazard description:**

C Corrosive

Information pertaining to particular dangers for man and environment

R 10 Flammable.

R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R 35 Causes severe burns.

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	3
FIRE	2
REACTIVITY	1

Health (acute effects) = 3

Flammability = 2

Reactivity = 1

GHS label elements**Danger**

3.1/3 - Toxic if swallowed.

3.1/3 - Toxic in contact with skin.

3.1/4 - Harmful if inhaled.

**Danger**

3.2/1A - Causes severe skin burns and eye damage.

**Warning**

2.6/3 - Flammable liquid and vapour.

Prevention:

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or if you feel unwell:

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 03/02/2010

Reviewed on 03/01/2010

Product name: 1-Hexylamine

(Contd. of page 1)

Immediately call a POISON CENTER or doctor/physician.

4 First aid measures**General information** Immediately remove any clothing soiled by the product.**After inhalation**Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.**After skin contact**Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.**After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.**5 Fire fighting measures****Suitable extinguishing agents**

Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Possibly Hydrogen cyanide (HCN)

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Keep away from ignition sources.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Storage**Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:**

Store away from oxidizing agents.

Do not store together with acids.

Store away from air.

Further information about storage conditions:

Store under dry inert gas.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 03/02/2010

Reviewed on 03/01/2010

Product name: 1-Hexylamine

This product is air sensitive.

(Contd. of page 2)

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace: Not required.**Additional information:** No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:** Impervious gloves**Eye protection:**

Safety glasses

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.**9 Physical and chemical properties:****General Information**

Form:	Liquid
Color:	Colorless
Odor:	Amine-like

Change in condition

Melting point/Melting range:	-23°C (-9°F)
Boiling point/Boiling range:	130-131°C (266-268°F)
Sublimation temperature / start:	Not determined

Flash point:	27°C (81°F)
---------------------	-------------

Ignition temperature:	270°C (518°F)
------------------------------	---------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Explosion limits:

Lower:	2.1 Vol %
Upper:	9.3 Vol %

Vapor pressure at 20°C (68°F):	10.6 hPa (8 mm Hg)
---------------------------------------	--------------------

Density at 20°C (68°F):	0.766 g/cm ³
--------------------------------	-------------------------

Solubility in / Miscibility with

Water at 20°C (68°F):	14 g/l
------------------------------	--------

pH-value (10 g/l) at 20°C (68°F):	11.6
--	------

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided:

Acids

Oxidizing agents

Air

Carbon dioxide

Dangerous reactions No dangerous reactions known**Dangerous products of decomposition:**

Carbon monoxide and carbon dioxide

Nitrogen oxides

Possibly Hydrogen cyanide (HCN)

USA

(Contd. on page 4)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 03/02/2010

Reviewed on 03/01/2010

Product name: 1-Hexylamine

(Contd. of page 3)

11 Toxicological information**Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	240 mg/kg (rat)
Dermal	LD50	420 mg/kg (rabbit)
Inhalative	LCLo/4H	500 ppm/4H (rat)
Irritation of skin	severe	10 mg/24H (rabbit)
		500 mg (rabbit)
Irritation of eyes	severe	750 µg/24H (rabbit)

Primary irritant effect:**on the skin:** Corrosive effect on skin and mucous membranes.**on the eye:** Strong corrosive effect.**Sensitization:** No sensitizing effects known.**Subacute to chronic toxicity:**

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

Additional toxicological information:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal considerations**Product:**

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information**DOT regulations:****Hazard class:**

8

Identification number:

UN2734

Packing group:

I

Proper shipping name (technical name): AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (1-Hexylamine)

Label

8

(Contd. on page 5)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 03/02/2010

Reviewed on 03/01/2010

Product name: 1-Hexylamine

(Contd. of page 4)

Land transport ADR/RID (cross-border)

ADR/RID class: 8 (CF1) Corrosive substances
Danger code (Kemler): 83
UN-Number: 2734
Packaging group: I
Description of goods: 2734 AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (1-Hexylamine)

Maritime transport IMDG:

IMDG Class: 8
UN Number: 2734
Label: 8+3
Packaging group: I
Marine pollutant: No
Proper shipping name: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (1-Hexylamine)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 8
UN/ID Number: 2734
Label: 8+3
Packaging group: I
Proper shipping name: AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. (1-Hexylamine)

UN "Model Regulation": UN2734, AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S., 8 (3), I

15 Regulations**Product related hazard informations:**

Hazard symbols:
C Corrosive

Risk phrases:

10 Flammable.
 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
 35 Causes severe burns.

Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 45 In case of accident or if you feel unwell, seek medical advice immediately.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
 All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use: For use only by technically qualified individuals.

16 Other information:

(Contd. on page 6)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 03/02/2010

Reviewed on 03/01/2010

Product name: 1-Hexylamine

(Contd. of page 5)

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA