

Safety Data Sheet

Ether, Anhydrous

CAROLINA[®]
www.carolina.com

Section 1 Product Description

Product Name: Ether, Anhydrous
Recommended Use: Science education applications
Synonyms: Ethyl Oxide, Ethyl Ether, Diethyl Ether
Distributor: Carolina Biological Supply Company
2700 York Road, Burlington, NC 27215
1-800-227-1150
Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)
Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER



Extremely flammable liquid and vapor. Harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness.

GHS Classification:

Flammable Liquid Category 1, Serious Eye Damage/Eye Irritation Category 2A, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3, Acute Toxicity - Oral Category 4

Section 3 Composition / Information on Ingredients

<u>Chemical Name</u>	<u>CAS #</u>	<u>%</u>
Diethyl Ether, Anhydrous	60-29-7	100

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Section 5 Firefighting Procedures

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.

Fire and/or Explosion Hazards: Above flashpoint, explosive vapor-air mixtures may be formed.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

Section 6 Spill or Leak Procedures

Safety Data Sheet

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Persons not wearing appropriate protective equipment should be excluded from area of spill until clean-up has been completed. Evacuate the area promptly. Avoid breathing dust/fume/gas/mist/vapors/spray.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Ventilate the area by opening door and/or turning on fans and blowers. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Use appropriate personal protective equipment as stated in Section 8 of this MSDS. Advise the Environmental Protection Agency (EPA) and appropriate state agencies, if required. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Vacuum or sweep up material and place in a disposal container.

Section 7

Handling and Storage

Handling:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed in a cool, well-ventilated place. Keep in a cool, well-ventilated place away from ... (incompatible materials to be indicated by the manufacturer).
Storage:	Keep container tightly closed. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed in a cool, well-ventilated place.
Storage Code:	Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

Chemical Name	ACGIH		OSHA PEL	
	(TWA)	(STEL)	(TWA)	(STEL)
Diethyl Ether, Anhydrous	400 ppm TWA	500 ppm STEL	400 ppm TWA; 1200 mg/m3 TWA	N/A

Control Parameters

Engineering Measures:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits
Personal Protective Equipment (PPE):	Lab coat, apron, eye wash, safety shower.
Respiratory Protection:	No respiratory protection required under normal conditions of use. Wear a NIOSH approved respirator if levels above the exposure limits are possible.
Respirator Type(s):	NIOSH approved air purifying respirator with organic vapor cartridge and dust/mist filter.
Eye Protection:	Wear chemical splash goggles when handling this product. Have an eye wash station available.
Skin Protection:	Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where use can result in skin contact, practice good personal hygiene. Use impervious gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly.
Gloves:	Impervious rubber

Section 9

Physical Data

Formula: C₂H₅OC₂H₅

Vapor Pressure: 587 hPa at 20°C

Ether, Anhydrous

Safety Data Sheet

Molecular Weight: 74.12
Appearance: Colorless Liquid
Odor: No data available Characteristic
Odor Threshold: No data available
pH: No data available
Melting Point: 116 C
Boiling Point: 35 C
Flash Point: 45 C
Flammable Limits in Air: LEL: 1.9% UEL: 36.0%

Evaporation Rate (BuAc=1): 37.5
Vapor Density (Air=1): 2.55
Specific Gravity: 0.71
Solubility in Water: Soluble
Log Pow (calculated): 0.82 at 23 °C
Autoignition Temperature: No data available 160 C
Decomposition Temperature: No data available
Viscosity: No data available
Percent Volatile by Volume: 100%

Section 10

Reactivity Data

Reactivity: No data available
Chemical Stability: Stable under normal conditions.
Conditions to Avoid: Sparks, open flame, other ignition sources, and elevated temperatures. Contact with air.
Hazardous Polymerization: Will not occur

Section 11

Toxicity Data

Routes of Entry: Inhalation and ingestion.
Symptoms (Acute): , Eye disorders, Liver disorders, Impaired Kidney Function, Respiratory disorders
Delayed Effects: No data available

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Diethyl Ether, Anhydrous	60-29-7	Oral LD50 Rat 1215 mg/kg Oral LD50 Mouse 1760 mg/kg	Dermal LD50 Rabbit > 20 ml/kg	INHALATION LC50 Mouse 31000 ppm

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
No data available	60-29-7	Not listed	Not listed	Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.
Teratogenicity: No evidence of a teratogenic effect (birth defect).
Sensitization: No evidence of a sensitization effect.
Reproductive: No evidence of negative reproductive effects.
Target Organ Effects:
Acute: See Section 2
Chronic: Tumorigenic data cited., Mutation data cited., Not listed as a carcinogen by IARC, NTP or OSHA.

Section 12

Ecological Data

Overview: This material is not expected to be harmful to the ecology.
Mobility: No data
Persistence: No data
Bioaccumulation: No data
Degradability: No data
Other Adverse Effects: No data

Chemical Name	CAS Number	Eco Toxicity
Diethyl Ether, Anhydrous	60-29-7	96 HR LC50 LEPOMIS MACROCHIRUS > 10000 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 165 MG/L

Section 13

Disposal Information

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.
Waste Disposal Code(s): Not Determined

Section 14

Transport Information

Safety Data Sheet

Ground - DOT Proper Shipping Name:

UN number: 1155 Class: 3 Packing group: I Proper shipping name
Diethyl ether Reportable Quantity (RQ): 100 lbs Marine pollutant:
No Poison Inhalation Hazard: No

Air - IATA Proper Shipping Name:

UN number: 1155 Class: 3 Packing group: I Proper shipping
name: Diethyl ether

Section 15

Regulatory Information

TSCA Status:

All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Diethyl Ether, Anhydrous	60-29-7	No	No	100 lb final RQ; 45.4 kg final RQ	No	No

Section 16

Additional Information

Revised: 09/09/2015

Replaces: 09/03/2014

Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstract Service Number	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
DOT	U.S. Department of Transportation	ppm	Parts per million
IARC	International Agency for Research on Cancer	RCRA	Resource Conservation and Recovery Act
N/A	Not Available	SARA	Superfund Amendments and Reauthorization Act
		TLV	Threshold Limit Value
		TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health